

CreateGlobalText

Global texts are used as storage of localizable text blocks, usually used in printing.

Part of [translate.wSDL](#)

LANG must be EN.

Below is the example of Invoice footer print.

Request Example

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:wSDL="http://atollon.com/enterprise/wSDL">
  <soapenv:Header />
  <soapenv:Body>
    <wSDL:CreateGlobalText>
      <server>acme</server>
      <session>4D2...D04</session>
      <identification>invoice-footer</identification>
      <LANG>
        <id>131485101</id>
        <value>In case of any questions, or request for additional details, do not
hesitate to contact us by email to invoice@company.com or using phone number +44 00099333.
Yours sincerely, Your Team.</value>
      </LANG>
    </wSDL:CreateGlobalText>
  </soapenv:Body>
</soapenv:Envelope>
```

Response Example

```
<ns0:Envelope xmlns:ns0="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="http://atollon.com/enterprise/wSDL">
  <ns0:Body>
```

```
<ns1: CreateGlobalTextResponse>
  <result>OK</result>
  <count>0</count>
  <itemId>1936935101</itemId>
</ns1: CreateGlobalTextResponse>
</ns0: Body>
</ns0: Envelope>
```

Related Functions

[ListLanguages](#)

Global Text Idents

Below you can find examples of Global text idents that are used mainly as text blocks when printing documents from ATOLLON.

Document	Global text IDENT	Description
Invoice issued	invoice-footer	Print text at the bottom of invoice
Estimate	estimate-footer	Print text at the bottom of estimate
Invoice/estimate/order/offer	invoice-global-CSS	Use corporate CSS

Revision #7

Created 7 August 2020 12:01:56 by Jan Safka

Updated 15 August 2022 13:57:02