

# NewMail

## Description

New mail function is used to send regular e-mail from Atollon. It supports sending both plaintext and html e-mails. In case html e-mail is sent, plaintext part is generated automatically.

## Fields Description

Field	Description	Example
priority	E-mail priority handled by other mail clients	1, 2, 3
group	Message group with similar characteristics, required	For e-mails sent in context, there is always default "group" available in the response of request to getFolder, getProject, getActivity. For example:  <messageGroup>133185101</messageGroup>
treeHandle	Message container (mailbox)	Similar comment to "group" field above: <messageDefault>133186101</messageDefault>
html	What is the body format?	0..plaintext 1..html
encoding	Use utf-8 only	utf-8
from	Full format of sender mailbox	
to	Recipient address	
subject	Subject of the message	
body	Either plaintext or html part of the message (based on above html = 0/1 flag)	
attachments.attachment	Link to documentId in Atollon. The document will be converted to base64 and added to sent e-mail	
forwardEmails	List ids of e-mail messages that will be attached	

## Example

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:wSDL="http://atollon.com/enterprise/wSDL">
  <soapenv:Header/>
  <soapenv:Body>
    <wSDL:NewMail>
      <server>acme</server>
      <session>5B5EA...8BD04</session>
      <mail>
        <priority>2</priority>
        <group>491826101</group>
        <treeHandle>491827101</treeHandle>
        <html>1</html>
        <encoding>utf-8</encoding>
        <from>"Your team" &lt;admin@mydomain.com&gt;</from>
        <to>jan@safka.cz</to>
        <subject>Welcome to your new world of success</subject>
        <body>&lt;html&gt;&lt;head&gt;&lt;title&gt;Welcome to your new world of
success&lt;/title&gt;&lt;meta http-equiv="Content-Type" content="text/html; charset=UTF-8"
/&gt;&lt;style type="text/css"&gt;&lt;!-- body,td,th { font-family: Arial, Helvetica, sans-
serif; font-size: 12px; color: #333333; } a:link { color: #666666; } a:visited { color:
#999999; } --&gt;&lt;/style&gt;&lt;/head&gt;&lt;body&gt;&lt;div ALIGN="LEFT"&gt;&lt;span
style="font-family: helvetica, arial, sans-serif; font-size:12px; color: #000000; "&gt;This is the
secret message&lt;/span&gt;&lt;/div&gt;

&lt;br /&gt;

&lt;div ALIGN="LEFT"&gt;&lt;span style="font-family: helvetica, arial, sans-serif; font-
size: 12px; color: #000000; "&gt;Your super powerful team&lt;/span&gt;&lt;/div&gt;

&lt;/body&gt;&lt;/html&gt;</body>
      <attachments>
        <attachment>
          <documentId>496477101</documentId>
        </attachment>
      </attachments>
      <forwardEmails/>
    </mail>
  </wSDL:NewMail>
</soapenv:Body>
</soapenv:Envelope>

```

# Response

```
<ns0:Envelope xmlns:ns0="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="http://atollon.com/enterprise/wSDL">
  <ns0:Body>
    <ns1:NewMailResponse>
      <result>OK</result>
      <time>0.07684398</time>
      <newId>496505101</newId>
      <newAcl>MSG5000000151828</newAcl>
      <needApproval>0</needApproval>
    </ns1:NewMailResponse>
  </ns0:Body>
</ns0:Envelope>
```

---

Revision #1

Created 28 August 2020 08:34:37 by Jan Safka

Updated 28 August 2020 08:43:12 by Jan Safka