

Set-Up Domain MX Records

There are several administration interfaces available to set-up your MX records.

You need to set-up your Domain's MX record to be like this:

MX 10 mx1.atollon.com

where **yourserver.atollon.com** is server identification that you should receive when getting Atollon Windows administration interface. This information will be provided to you by Atollon Consultant on request. Do not hesitate to contact us, please.


Below you may find tutorial to set-up your domain's MX record on Network Solutions:

Edit Your Domain's DNS



After the list of your domains is displayed, click on (x) and press button **Edit DNS**.

Manage Your Advanced DNS Records




Click on **Manage Advanced DNS Records** button

Edit Your Domain's MX Records

Mail Servers (MX Records) ?


Note: Mail Servers are listed in rank order



The screenshot shows a web interface for managing MX records for the domain 'company.com'. At the top, there is a black button with 'company.com' in white text. Below it, a blue button says 'Add Sub-Domain'. The main area contains two tables of MX records. The first table has a header with 'MXMailServer(Preference)' and 'TTL', and one row with 'starfish.atollon.com.(10)' and '7200'. Below this table are two blue links: 'Edit Sub-Domain' and 'Delete Sub-Domain'. The second table also has a header with 'MXMailServer(Preference)' and 'TTL', and one row with 'motorboat.atollon.com.(10)' and '7200'. At the bottom right, there is a blue button labeled 'Edit MX Records'.

Click on **Edit MX Records** button.

Edit Your Domain's MX Records



The screenshot shows a form titled 'Add/Edit Mail Servers (MX Records)'. It indicates the 'Currently Managing Domain' as 'atollon.com'. Below this, there is a text input field for the domain, currently containing 'atollon.com'. A table lists existing mail servers with columns for 'Priority', 'TTL', 'Mail Server (Example: mail.your-domain.com)', and 'Delete'. The first row shows a priority of '10', a TTL of '7200', and a mail server of 'yourserver.atollon.com.'. The second row shows a priority of an empty field, a TTL of '7200', and an empty mail server field. Each row has a 'Delete' button represented by a small square icon.

Replace **yourserver**.atollon.com to the information you received from Atollon's consultant for Windows Administrative client interface.

Setup Domain's SPF Rules

You should add TXT record to your domain's DNS in the following format:

```
v=spf1 include:spf.atollon.com ~all
```

Please note that if you are sending e-mail from other serves, you should add only "include:spf.atollon.com" to your existing record.

Revision #4

Created 23 January 2020 15:16:36

Updated 11 February 2021 11:08:25 by Jan Safka