

# System Registers

System registers is a feature available to developers to save System / Organization / Profile or User settings. When the user gathers any saved configuration of module layout or other settings, she gets the registry information, which is the closest to her **Registry Level**.

## Registry Level

- 10 System
- 20 Organization
- 30 Profile
- 40 User

### Example

if Application Toolbar (icons at top) are configured per User level, the Organization settings will NOT be applied.

## Registry App

Using Registers you should be able to set default dimension for Finder's Folder, store it to Application Preset & match to User's Profile. This way Atollon should automatically assign the Dimension1 to Folder based on user's Profile.

## Organization Level Registers

This type of registers can be reached by all users of organization.

Set register syntax;

```
SessionUserSettings.defaultInstance.organizationSettings.setString(domainName, key, value);  
//for example  
SessionUserSettings.defaultInstance.organizationSettings.setString("com. atollon. finance. invoice", "invoiceId", "2015469875");
```

Getting the register;

```
SessionUserSettings.defaultInstance.organizationSettings.getString(domainName, key);  
//for example  
SessionUserSettings.defaultInstance.organizationSettings.getString("com. atollon. finance. invoice", "invoiceId");
```

---

Revision #1

Created 21 March 2020 06:09:19 by Jan Safka

Updated 21 March 2020 06:31:24 by Jan Safka