

Message Templates


Message templates are used mainly in connection with sending e-mails to your clients, prospects or partners.

Message template may be used when sending individual e-mail correspondence. Message template is required when sending Mass Mail. Message template is heavily used when automating processes using Atollon Troll (Workflow) module.

Message Templates Overview

The overview of message templates provides list of **Message Template Containers**. Click on one of the containers to add / view / edit / delete one of the message templates on right.

You can filter only for Message Templates in specific language by selecting one of the languages in the list of languages.



Edit Message Template

To edit the Message Template, double click on one of the items in grid.

The screenshot shows a 'Create/edit Template' window. On the left, there is a sidebar with a tree view containing 'Message Templates', 'Sales Templates', 'Service Templates', 'All', 'English', and 'Arabic'. The 'Sales Templates' folder is selected, and a table displays its contents. The table has three columns: 'Name', 'Description', and 'Language'. The first row is highlighted in blue and contains 'Proposal', an empty description, and 'English'. Below the table, there is a form to edit the selected template. The 'Name' field is 'Proposal', and there is a checkbox for 'Is HTML'. The 'Description' field is empty. The 'Subject' field contains 'Proposal for our Excellent services'. The 'Attachments' field has a '+ Local file(s)' button. The 'Language' dropdown is set to 'English'. Below the form fields is a large text area containing a message template:


```

    ${SALUTATION},

    thank you very much for your interest in our services.

    Please find attached the draft proposal.

    Your sincerely,

    Jack Sparrow

    Captain on the bridge
    
```

 At the bottom of the window, there are buttons for 'Show translations', 'Save', and 'Close'.

| Name | Description | Language |
|----------|-------------|----------|
| Proposal | | English |
| | | |
| | | |
| | | |

Name: * Proposal ☐ Is HTML

Description:

Subject: Proposal for our Excellent services

Attachments:

Language:


\${SALUTATION},
 thank you very much for your interest in our services.
 Please find attached the draft proposal.
 Your sincerely,
 Jack Sparrow
 Captain on the bridge

Once you make any changes, do not forget to press on "Save", please.

You can attach one or more files or documents to each Message Template.

Message Template Languages

Each message template may have indicated language, in which the template is prepared. This is particularly useful when automating workflow actions on multi-lingual web sites, etc.



Mail Merge Fields

Basic rule for using merge fields:

- `${CAPITAL-LETTERS}` - may be used on both client & server side
- `${small-letters}` - may be used on client side only

General

`${SALUTATION}` | Enters the string that is found in recipient contact's Salutation field.
`${SIGNATURE}` | Enters user's mailbox identity signature.

Calendar / Tasks Notifications

`${NAME}` | Task / Event name
`${DESCRIPTION}` | Task / Event description
`${STATUS}` | Task / Event status
`${START}` | Task / Event start date/time
`${END}` | Task / Event deadline / end date/time

Service Level Notifications

```
${REQUESTSUBJECT} | request subject  
${REQUESTDESC} | request description  
${REQUESTIDENT} | request id  
${REQUESTSENDER} | request sender  
${REQUESTPROJECTNAME} | project & subject (if is known)  
${REQUESTDATETIME} | request date/time
```

Message Context Dependent Fields

```
${ACTIVITYNAME}  
${ACTIVITYREFID}  
${PROJECTNAME}  
${PROJECTREFID}  
${MASTERPROJECTNAME}  
${MASTERPROJECTREFID}  
${FOLDERNAME}  
${FOLDERREFID}  
${CONTEXTREFID}
```

Recipient Dependent Fields

```
${RECIPIENT- ID}  
${RECIPIENT- EMAIL}  
${RECIPIENT- FIRSTNAME}  
${RECIPIENT- MIDDLENAME}  
${RECIPIENT- LASTNAME}
```

Invoice Fields

```
${doc_number}  
${doc_descr}  
${doc_total_amount}  
${doc_due_date}
```

Same naming conventions are for all following items (`${word before :}`)

```
doc_number: "invoiceNumber",
doc_descr: "transactionsName",
doc_total_amount: "totalWithVAT",
doc_due_date: "dueDate",
doc_ccy: "currency",
doc_ccy_rate: "currencyRate",
doc_bank_code: "bankCode",
doc_bank_account: "bankAccount",
doc_iban: "bankIBAN",
doc_description: "description",
doc_header_text: "headerText",
doc_footer_text: "footerText",
doc_summary_text: "summaryText",
doc_period_from: "periodFrom",
doc_period_to: "periodTo",
doc_trans_name: "transactionsName"
```

Custom Form

```
${generatedLink}
```

Campaign Planner / Event

```
${eventFrom}
${eventTo}
${eventLocation}
${eventUserName}
${eventDescription}
```

Folder / Project / Activity (Context items)

```
${contextName} -> name
${contextReferenceId} -> referenceId
```

```
${contextComment} -> comment  
${contextCreated} -> created  
${contextCreatedBy} -> createdByName  
${contextModified} -> modified  
${contextModifiedBy} -> modifiedByName
```

System IDs for message templates in system

| SystemId | Description |
|---|--|
| com.atollon.messaging.issuedinvoicemail | template with message for mail with issued invoice |
| com.atollon.messaging.invoicereceivedmail | template with message for mail with recieved invoice |
| com.atollon.messaging.orderissuedmail | template with message for mail with issued order |
| com.atollon.messaging.orderreceivedmail | template with message for mail with recieved order |
| com.atollon.messaging.estimatemail | template with message for mail with estimate |

Revision #6

Created 21 March 2020 05:38:28 by Jan Safka

Updated 26 February 2021 13:59:47 by Dominik Sotola